

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8

Page 1/10



Mixed fatty acid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Mixed fatty acid

Other means of identification:

Mixed Fatty Acid

Article No:

3180

REACH No.:

01-2119988505-24-0012

EC No.:

939-235-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Intermediate

- Use as intermediate in order to recover the constituents (closed process)

- Direct conversion to other chemicals including biochemical processes (closed processes)

Not recommended or not permitted: Consumer uses

Relevant identified uses:

Life cycle stage [LCS]

M: Manufacture

IS: Use at industrial sites

Sector of uses [SU]

SU 0: Other

Product Categories [PC]

PC 19: Intermediate (precursor)

Process categories [PROC]

PROC 1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions

Environmental release categories [ERC]

ERC 1: Manufacture of the substance

ERC 6a: Use of intermediate

Article categories [AC]

AC 0: Other

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

German Biofuels GmbH

Am Hünengrab 9

16928 Pritzwalk/Germany

Germany

Telephone: +49 33986 5050

Telefax: +49 33986 50599

E-mail: info@gbfgmbh.de

1.4. Emergency telephone number

Produktion/Production, 24h: +49 172 56 82 831, +49 33986 50582 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Additional information:

Classification according to Regulation (EC) No 1272/2008 [CLP]: No (self-assessment)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 2/10

Mixed fatty acid

Additional information: Low hazard when properly handled.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard components for labelling:

No; No

Precautionary statements Prevention

P280 Wear protective gloves/protective clothing.

Special rules for supplemental label elements for certain mixtures:

No

2.3. Other hazards

Adverse human health effects and symptoms:

May cause minor eye irritation.

Vapors produced by heating the substance, or finely misted materials, may irritate the mucous membranes and cause dizziness, and nausea.

SECTION 3: Composition/information on ingredients

3.1. Substances

Description:

The substance consists mainly of saturated and unsaturated fatty acids (typical chain length C16-C18), related methyl esters and small concentrations of methanol.

Additional information:

Methanol is the toxicologically most relevant constituent in the mixture. However, due to the low concentration effects are to be expected only after the ingestion of large quantities or with prolonged inhalation exposure.

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 67-56-1 EC No.: 200-659-6 Index No.: 603-001-00-X REACH No.: 01-2119433307-44-XXXX	methanol Acute Tox. 3 (H331, H311, H301), Flam. Liq. 2 (H225), STOT SE 1 (H370**) Danger Specific concentration limit (SCL) STOT SE 1; H370: C ≥ 10% STOT SE 2; H371: 3% ≤ C < 10%	≥ 0 - < 1 %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following inhalation:

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Seek medical attention if symptoms persist.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

IF ON CLOTHING: Change contaminated, saturated clothing.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Do NOT induce vomiting.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person or a person with cramps.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 3/10

Mixed fatty acid

4.2. Most important symptoms and effects, both acute and delayed

May cause minor eye irritation.

Vapors produced by heating the substance, or finely misted materials, may irritate the mucous membranes and cause dizziness, and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂)
alcohol resistant foam
Water mist
Extinguishing powder

Unsuitable extinguishing media:

Strong water jet (Water stream may splash the burning liquid and spread fire.)
Consider halon use may not be permissible in some countries.

5.2. Special hazards arising from the substance or mixture

In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Soaked rags or spill absorbents (i.e. oil dry, sacks, sand) can cause spontaneous combustion if stored near combustibles and not handled properly.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

On danger by contact with substance: Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove all sources of ignition.

If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leake side up to prevent the escape of liquid.

Special danger of slipping by leaking/spilling product.

Protective equipment:

Refer to section 5

6.1.2. For emergency responders

Personal protection equipment:

Refer to section 5

6.2. Environmental precautions

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Delivery to an approved waste disposal company.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Take up with oil-absorbing compound.

Recover large spills for salvage or disposal. Wash hard surfaces with safety solvent or detergent to remove remaining oil film.

Greasy nature will result in a slippery surface.

6.4. Reference to other sections

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 4/10

Mixed fatty acid

6.5. Additional information

If appropriate sections 8 and 13 shall be referred to.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Technical measures to prevent exposure

Direct contact with the substance should be avoided.

When using do not eat, drink or smoke.

Used working clothes should not be worn outside the work area.

Wash hands and face before breaks and after work and take a shower if necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed in a cool, well-ventilated place.

Keep away from sources of ignition - No smoking.

Keep away from: Oxidising agent

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Recommended storage temperature 15 °C - 25 °C

Below normal ambient temperatures, the material may solidify.

7.3. Specific end use(s)

Recommendation:

Intermediate - not intended for end use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU)	methanol CAS No.: 67-56-1 EC No.: 200-659-6	① 200 ppm (260 mg/m ³) ⑤ (may be absorbed through the skin)
TRGS 900 (DE) from 13 Mar 2020	methanol CAS No.: 67-56-1 EC No.: 200-659-6	① 100 ppm (130 mg/m ³) ② 200 ppm (260 mg/m ³) ⑤ (kann über die Haut aufgenommen werden) DFG, EU, H, Y

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 13 Mar 2020	methanol CAS No.: 67-56-1 EC No.: 200-659-6	15 mg/L	① Methanol ② Urin ③ bei Langzeitexposition, Expositionsende bzw. Schichtende

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 5/10

Mixed fatty acid

8.1.3. DNEL-/PNEC-values

See Annex

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No

8.2.2. Personal protection equipment



Eye/face protection:

Wear eye/face protection.

Skin protection:

Hand protection: Required properties: liquid-tight Breakthrough times and swelling properties of the material must be taken into consideration.

Suitable material: NBR (Nitrile rubber) FKM (fluoro rubber)

Respiratory protection:

Respiratory protection necessary at: aerosol or mist formation

Other protection measures:

General health and safety measures: Wash hands before breaks and after work.

Wash contaminated clothing before reuse.

Boots (Suitable material: PVC)

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: dark brown

Odour: mild - characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		② Dissolved substance quantity: < 0.023 mg/l
Melting point	-17 - 16 °C		① DIN ISO 3016
Freezing point	<i>No data available</i>		
Initial boiling point and boiling range	350 - 535 °C		① ASTM D 7169 ② pressure: 1013 mbar
Flash point	> 60 °C		① EN ISO 2719
Evaporation rate	<i>No data available</i>		
Auto-ignition temperature	<i>No data available</i>		
Upper/lower flammability or explosive limits	<i>not applicable</i>		
Vapour pressure	6 - 15 mbar	25 °C	① EN 13016-1
Vapour density	<i>No data available</i>		
Density	870 - 900 kg/m ³	15 °C	① EN ISO 3675
Bulk density	<i>not applicable</i>		
Water solubility	0.023 mg/L		
Partition coefficient: n-octanol/water	6.2		① OECD 107

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 6/10

Mixed fatty acid

Parameter	Value	at °C	① Method ② Remark
Dynamic viscosity	5.5 - 8 mPa* s	40 °C	① EN ISO 3104
Kinematic viscosity	No data available		

9.2. Other information

The statement is derived from products of similar composition.

Oxidising properties: Not oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Substance is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

When hot, product develops flammable vapours.

10.3. Possibility of hazardous reactions

The substance reacts with strong bases to form methanol.

10.4. Conditions to avoid

See incompatible materials.

10.5. Incompatible materials

Oxidising agent, strong

Alkali (lye), concentrated

10.6. Hazardous decomposition products

In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

methanol CAS No.: 67-56-1 EC No.: 200-659-6
LD₅₀ oral: 5,628 mg/kg (Rat) OECD
LD₅₀ dermal: 17,100 mL/kg (Rabbit) OECD
LC₅₀ Acute inhalation toxicity (gas): 85.26 mg/L 4 h (Rat) OECD

Acute oral toxicity:

(FAME)

Acute toxicity (oral): LD₅₀: > 5000 mg/kg (Study is closely comparable to OECD 401; GLP)

Acute toxicity (dermal): Has been tested in a fixed dose test at 2000 mg/kg (C6-C12 ME, Rabbit): No sign of toxicity, Methode: EPA OPPTS 870.1200

Acute dermal toxicity:

(FAME)

Acute toxicity (oral): LD₅₀: > 5000 mg/kg (Study is closely comparable to OECD 401; GLP)

Acute toxicity (dermal): Has been tested in a fixed dose test at 2000 mg/kg (C6-C12 ME, Rabbit): No sign of toxicity, Methode: EPA OPPTS 870.1200

Acute inhalation toxicity:

(FAME)

Acute toxicity (oral): LD₅₀: > 5000 mg/kg (Study is closely comparable to OECD 401; GLP)

Acute toxicity (dermal): Has been tested in a fixed dose test at 2000 mg/kg (C6-C12 ME, Rabbit): No sign of toxicity, Methode: EPA OPPTS 870.1200

Skin corrosion/irritation:

(FAME)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 7/10

Mixed fatty acid

Skin corrosion/irritation: In general, esters of long-chain fatty acid methyl esters are always negative with relation to irritation (from C18 onward), while esters of short-chain fatty acids are always (slightly) positive (up to C10). Methode: OECD 404

Serious eye damage/irritation: Conjunctivae effects were observed 1 hour after exposure. Slight chemosis and slight conjunctivae were observed in two animals and four animals, respectively. Two animals presented conjunctivae with diffuse, crimson colour and individual vessels not easily discernible. These effects were fully reversible within 1 day. Methode: OECD 405

Respiratory or skin sensitisation:

(FAME)

Respiratory sensitisation: No information but no respiratory sensitisation is expected.

Skin sensitisation: Esterol C in corn oil was tested using the Guinea pig maximisation test.

No clinical signs and no deaths were noted during the study. No cutaneous reactions were observed after the challenge application. Under the experimental conditions of the study, it is concluded that Esterol C does not induce delayed contact hypersensitivity in guinea pig. Methode: OECD 406 (GLP)

Carcinogenicity:

(FAME)

Germ cell mutagenicity (bacteria), Esterol C: Ames test negative. Methode: OECD 471

In vitro cytogenicity test, Esterol C: Investigation in lymphocytes. negative Methode: OECD 473

In mammalian mutation test: Methyl myristate alone had no mitogenic activity. In combination with phytohemagglutinin, however, a comitogenic activity was found. Methode: EU Method B.17

Carcinogenicity: Methyl oleate and methyl 12-oxo-trans-10-octadecenoate have been tested for carcinogenicity by oral and subcutaneous administration. A positive effect of methyl oleate could not be assessed, while the results pointed to a promoter effect of methyl oxo-octadecenoate. Methode: EU Method B.32

Overall assessment on CMR properties No CMR properties are expected.

Additional information:

Repeated dose toxicity (subacute, subchronic, chronic): (FAME)

Reproductive toxicity Developmental effects/Fertility effects: The tested substance revealed no effect in Screening for reproduction for a dose of until 1000 mg/kg. Methode: OECD 422

STOT-single exposure: No information available.

STOT- repeated exposure: The tested substance revealed no effect in Screening for reproduction for a dose of until 1000 mg/kg. Methode: OECD 422

Other information: Methanol is the toxicologically most relevant constituent in the mixture. However, due to the low concentration effects are to be expected only after the ingestion of large quantities or with prolonged inhalation exposure.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity:

Methanol:

EC₅₀ Entisiphon sulcatum (72 h): 10000 mg/l

EC₅₀ Daphnia magna (48 h): 10000 mg/l

Methyl ester:

EC₅₀ (48 h): 2504 mg/l Methode: OECD 202

EC₅₀ (72 h): 73729 mg/l Methode: OECD 201

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 8/10

Mixed fatty acid

Terrestrial toxicity:

Methanol:

LC₅₀: (freshwater fish) 10000 mg/l

LC₅₀: Pseudokirchneriella subcapitana 22000 mg/l

Methyl ester:

LC₅₀: (freshwater fish) 100000 mg/l

Effects in sewage plants:

Separation into skimmer fraction.

Additional ecotoxicological information:

In environmental toxicity the properties are dominated by the content of fatty acid methyl esters. The properties of methanol have only secondary impact due to the low concentration.

12.2. Persistence and degradability

Additional information:

Further ecological information: Fatty acids, methyl esters of fatty acids and methanol are readily biodegradable in water, soil and sediments. They pass the 10 days windows with 62% of degradation.

Half life in the three compartment is less than 2 -3 days. In some case even less than 1 day. Methode: ISO 10712

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water:

6.2; Method: OECD 107

Accumulation / Evaluation:

Fatty acids, methyl esters of fatty acids and methanol are readily biodegradable in water, soil and sediments. They pass the 10 days windows with 62% of degradation. Half life in the three compartment is less than 2 -3 days. In some case even less than 1 day. Methode: ISO 10712

12.4. Mobility in soil

The substance is very poorly soluble in water and readily biodegradable. The equilibrium partitioning method, following a fugacity model III indicate a partition of the substance on sediments of 85.5%, based on log K_{oc} > 5.63 at 22°C.

According to equilibrium partitioning Fugacity model III, the soil % is 1.61%, FAME have a soil primary biodegradation of less than 2 days.

The statement is derived from products of similar composition.

12.5. Results of PBT and vPvB assessment

methanol CAS No.: 67-56-1 EC No.: 200-659-6
--

Results of PBT and vPvB assessment: —
--

Fatty acids, C16-18 and C18-unsatd., its methyl esters and methanol are not regarded as PBT or vPvB based on physicochemical, environmental and toxicological properties. Fatty acids, C16-18 and C18-unsatd., its methyl esters and methanol are not regarded as P or vP based on readily biodegradability. Fatty acids, C16-18 and C18-unsatd., its methyl esters and methanol are not regarded as bioaccumulative based on the measured BCF of 3. The long-term no-observed effect concentration (Noec) for marine or freshwater organisms is not available because of the high biodegradation rate in environmental conditions.

The substance is not classified as carcinogenic (category 1A or 1B), mutagenic (category 1A or 1B), or toxic for reproduction (category 1A, 1B or 2).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Further ecological information: The substance is considered as stable in the environmental range of pH.

Hydrolysis happens with the presence of strong acids or basis, with release of methanol and fatty acids or its salts.

SECTION 13: Disposal considerations

* 13.1. Waste treatment methods

Incineration is recommended.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8



Page 9/10

Mixed fatty acid

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

02 03 04	Materials unsuitable for consumption or processing
07 01 99	wastes not otherwise specified
07 06 99	Wastes not otherwise specified

Remark:

ABFÄLLE AUS LANDWIRTSCHAFT, GARTENBAU, TEICHWIRTSCHAFT, FORSTWIRTSCHAFT, JAGD UND FISCHEREI SOWIE DER HERSTELLUNG UND VERARBEITUNG VON NAHRUNGSMITTELN, Abfälle aus Herstellung, Zubereitung, Vertrieb und Anwendung (HZVA) organischer Grundchemikalien, Abfälle aus HZVA von Fetten, Schmierstoffen, Seifen, Waschmitteln, Desinfektionsmitteln und Körperpflegemitteln

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

Not yet classified.

Default (without application to IMO): Pollution Category X

Additional information:

Low hazard when properly handled.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category.

Named dangerous substances:

- Methanol

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 1 weight-%

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

No

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2023

Print date: 6 Dec 2023

Version: 8

Page 10/10



Mixed fatty acid

Störfallverordnung (12. BImSchV)

for substances contained in the product:

This product is not assigned to a hazard category.

Named dangerous substances:

- Methanol

Water hazard class

WGK:

1 - slightly hazardous to water

Source:

Self-classification according to AwSV (substance).

Other regulations, restrictions and prohibition regulations

No

15.2. Chemical Safety Assessment

CSA has been carried out.

SECTION 16: Other information

* 16.1. Indication of changes

13.1.	Waste treatment methods
16.1.	Indication of changes
16.7.	Additional information

16.2. Abbreviations and acronyms

Abbreviations:

CSA: Chemical Safety Assessment

PBT: Substance with persistent, bioaccumulative and toxic properties.

vPvB: Substance with very persistent and very bioaccumulative properties.

MFSU: Manufacture, formulation, supply and use

IMO: International Maritime Organisation/London

16.3. Key literature references and sources for data

See annex

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.

16.6. Training advice

No data available

* 16.7. Additional information

This SDS is not required by Article 31 of Regulation 1907/2006/EU as the substance is not classified as hazardous, however, to comply with Article 32 of REACH and provide customers with relevant information the format of the SDS (according to Regulation 2015/830/EU) has been used.

Given data sheets are based on our present experiences, however they are no assurance of product properties and do not justify a contractual legal relationship.

* Data changed compared with the previous version.

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

Extension to section 8.1

<i>DNELs and PNECs for the substance</i>			
Fatty acids, C16-18 and C18-unsatd., methyl esters			
<i>DNELs</i>			
<i>Population/route</i>		<i>Exposure pattern</i>	<i>Value</i>
Workers	Inhalation	Long-term systemic effects	6.96 mg/m ³
	Dermal	Long-term systemic effects	10 mg/kg bw/day
Consumers	Inhalation	Long-term systemic effects	23 mg/m ³
	Dermal	Long-term - systemic effects	5 mg/kg bw/day
	Oral	Long-term - systemic effects	5 mg/kg bw/day
<i>PNECs</i>			
<i>Compartment</i>			<i>Value</i>
Water	Freshwater		2.504 mg/l
	Marine water		0.2504 mg/l
	Intermittent releases		25.04 mg/l
Sediment			Not relevant
Soil			Not relevant
Sewage treatment			520 mg/l
Secondary poisoning			Not relevant

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

<i>DNELs and PNECs for the substance</i>			
Methanol			
<i>DNELs</i>			
<i>Population/route</i>		<i>Exposure pattern</i>	<i>Value</i>
Workers	Inhalation	Long-term systemic effects / acute/short-term exposure - local effects	260 mg/m ³
	Dermal	Long-term systemic effects / acute/short-term exposure - local effects	40 mg/kg bw/day
Consumers	Inhalation	Long-term systemic effects / acute/short-term exposure - local effects	50 mg/m ³
	Dermal	Long-term - systemic effects/acute/short-term exposure - local effects	8 mg/kg bw/day
	Oral	Long-term - systemic effects/acute/short-term exposure - local effects	8 mg/kg bw/day
<i>PNECs</i>			
<i>Compartment</i>			<i>Value</i>
Water	Freshwater		154 mg/l
	Marine water		15.4 mg/l
	Intermittent releases		1540 mg/l
Sediment			570.4 mg/kg dw
Soil			23.5mg/kg dw
Sewage treatment			100 mg/L
Secondary poisoning			Not relevant

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

Extension to section 16. (Literature)

Allan J (2010a). combined Repeated Dose Toxicity Study with the reproduction/Developmental Toxicity screening Test in Rats. Testing laboratory: Charls River. Report no.: 495325. Owner company: European Biodiesel Board.

Allan J (2010b). combined Repeated Dose Toxicity Study with thereproduction/Developmental Toxicity screening Test in Rats. Testing laboratory: Charles River. Report no.: 495325. Owner company: European Biodiesel Board.

Andre D, Mariette-Korotkoff I (2009). Flash Point determination of Esterol A - Equilibrium method, closed cup. Testing laboratory: Centre de Recherche Rhone-Alpes. Report no.: ANA GSP 1797-08. Owner company: Arkema. Report date: 2009-03-31.

Arffmann E., Glavind J. (1971). Tumor promoting activity of fatty acid methyl esters in mice. *Experientia* 27 (12), 1465-1466 (1971).

Arffmann E., Glavind J. (1974). Carcinogenicity in mice of some fatty acid methyl esters. Skin application. *Acta Pathol. Microbiolog. Scand.*, 1974;82:127-136.

BASF AG, Study report Bericht ueber die orientierende toxikologische Pruefung von 3 Methanolproben aus der DMT-Druckveresterung, Report X/304-307, BASF AG, Department of toxicology (1961).

BASF AG, Study report Short-term tests with methanol, Report XXIV/436, BASF AG, Department of Toxicology (1975).

Baxter S., Fish A. L. (1981). PARALLEL ACTIVITIES OF FATTY ACID METHYL ESTERS AND ANALOGOUS PHORBOL DIESTERS TOWARD MOUSE LYMPHOCYTES. Vol. 103, No. 1, 1981 *BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS* November 16, 1981 Pages 168-174.

Bringmann, G. and Kuehn, R., Grenzwerte der Schadwirkung wassergefaehrdender Stoffe gegen Blaualgen (*Microcystis aeruginosa*) und Gruenalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest, *Vom Wasser* 50: 45-60 (1978).

Cho, C.-W. et al., The ecotoxicity of ionic liquids and traditional organic solvents on microalga *Selenastrum capricornutum*, *Ecotoxicology and Environmental Safety* 71: 166-171 (2008).

Cooper, J.R. and Felig, P., The biochemistry of methanol poisoning, II. Metabolic acidosis in the monkey, *Toxicol Appl Pharmacol* 3: 202-209 (1961).

Defleur P (1999a). Ester methylique de colza. Etude eco toxicologique puor determination du WGK. Testing laboratory: Laboratoire BFB oil research S. A. Report no.: 15728. Owner company: Diester Industrie.

Defleur P (1999b). Ester methylique de colza - Etude eco toxicoloogique pour determinatiion du WGK. Testing laboratory: BfB Oil Research S. A. Report no.: 15728. Owner company: Diester Industrie.

Defleur P (1999c). Ester methylique de colza. Etude eco toxicologique puor determination du WGK. Testing laboratory: Laboratoire BFB oil research S. A. Report no.: 15728. Owner company: Diester Industries.

Dorman, D.C. et al., Acute methanol toxicity in minipigs, *Fund Appl Toxicol* 20(3): 341-347 (1993).

Dr. Van Dievoet (1999). Etude toxicologique. Testing laboratory: BFB oil research. Owner company: BFB oil research. Study number: 14447.

Fina Research (1997). Assessment of the bioconcentration factor (BCF) of the fluid (67762-26-9) in the blue Mussel *Mytilus edulis*. Testing laboratory: Fina Research Laboratories. Report no.: ERT 97/241. Owner company: Fina Research. Study number: 184-6-2.

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

Gancet C (2009a). Fatty acids, C16-C18 and C18 unsaturated, methyl esters - Estimation of Adsorption Coefficient (Koc) on Soil and Sewage Sludge. Testing laboratory: Arkema Groupement de Recherches de Lacq - Analysis department. Report no.: 0066/09/A1. Owner company: Arkema France. Report date: 2010-01-14.

Gancet C (2009b). Fatty acids, C16 C18 and C18 unsaturated, methyl esters - fish(Danio, rerio), acute toxicity test under semistatic conditions. Testing laboratory: Groupement de recherches de LACQ (GRL). Report no.: 0048/08/B. Owner company: Arkema. Report date: 2009-08-20.

Gilger, A.P. et al., Studies on the visual toxicity of methanol. IX. The effect of ethanol on methanol poisoning in the rhesus monkey, *Am J Ophthalmol* 42(4, part 2): 244-253 (1956).

Gilger, A.P. et al., Studies on the visual toxicity of methanol. X. Further observations on the ethanol therapy of acute methanol poisoning in monkeys, *Am J Ophthalmol* 48 (1, part 2): 153-161 (1959).

Glohuber, Kästner, Study report Prüfung des Produktes Edenor Sj auf akute orale Toxizität, HENKEL KOMMANDITGESELLSCHAFT AUF AKTIEN, D-4000 Düsseldorf 1, Institut für Toxikologie (1981).

Haddouk H. (1999). Bacterial reverse mutation test. Testing laboratory: CIT. Report no.: 18051 MMO. Owner company: ARKEMA former ATOCHEM. Report date: 1999-07-27.

Haddouk H. (2000). In vitro mammalian chromosome aberration test in cultured human lymphocytes. Testing laboratory: CIT. Report no.: 19877MLH. Owner company: ARKEMA former Elf Atochem SA. Report date: 2000-12-08.

Helmstetter, A. et al., Acute Toxicity of Methanol to *Mytilus edulis*, *Bulletin of Environmental Contamination and Toxicology* 57:675-681 (1996).

Hudson, G., Study report Assessment of ready aerobic degradability of HA 1321 in seawater (BODIS test) (28 day) Final report, Opus Plus Limited Flotta, STROMNESS Orkney, KW16 3NP, Report 817b-18 on behalf of Cognis Deutschland GmbH Co. KG/Emery Oleochemicals GmbH (2006).

Jackson D., Ogilvie S: (1994). Acute Dermal Toxicity (Limit) Test in Rabbit. Testing laboratory: Inveresk Research International. Report no.: 555703:94018/COCH:10482.

Kaviraj, A. et al., Toxicity of Methanol to Fish, Crustacean, Oligochaete Worm, and Aquatic Ecosystem, *International Journal of Toxicology* 23: 55-63 (2004).

Kaysen A. (1984a). METILOIL A. Evaluation de la toxicité aiguë chez le rat par voie orale. Testing laboratory: CIT. Report no.: 576 TAR. Owner company: ARKEMA former ATOCHEM. Report date: 1984-08-08.

Kaysen A. (1984b). METILOIL A. Evaluation de l'irritation cutanée chez le lapin. Testing laboratory: CIT. Report no.: 577 TAL. Owner company: ARKEMA former ATOCHEM. Report date: 1984-07-31.

Kaysen A. (1984c). METILOIL A. Evaluation de l'irritation oculaire chez le lapin. Testing laboratory: CIT. Report no.: 578 TAL. Owner company: ARKEMA former ATOCHEM. Report date: 1984-07-30.

Kenneth May (2008). Bacterial Reverse Mutation Test. Testing laboratory: Huntingdon Life Sciences. Owner company: Perstorp Specialty Chemicals AB. Study number: PGF0001. Report date: 2008-09-02.

Kiaer H. W., Arffmann, Glavind (1975). Carcinogenicity in mice of some fatty acid methyl esters. 2. Peroral and subcutaneous application. *Acta Pathol Microbiol Scand A*. 1975 Sep;83(5):550-8.

Kuehn, R. et al., Results of the harmful effects of selected water pollutants (anilines, phenols, aliphatic compounds) to *Daphnia magna*, *Water Research* 23(4): 495-499 (1989)

Künstler, Potokar, Study report Edenor Ti 05 Prüfung der akuten Toxizität (Limit-Test) nach einmaliger oraler Applikation an Ratten, Report 840496, HENKEL KOMMANDITGESELLSCHAFT AUF AKTIEN D-4000 Düsseldorf 1 Institut für Toxikologie.

L'Haridon J (2003). Esterol A, Algal inhibition test. Testing laboratory: CIT, Evreux, France. Report no.: 23691. Owner company: Arkema formerly Atofina. Report date: 2003-04-02.

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

Lilius, H. et al., A comparison of the toxicity of 30 reference chemicals to *Daphnia magna* and *Daphnia pulex*, *Environmental Toxicology and Chemistry* 14(12): 2085-2088 (1995)

Manciaux X. (1999). Skin sensitization test in guinea-pigs (Maximization method of Magnusson, B. and Kligman, A. M.). Testing laboratory: CIT. Report no.: 18050. Owner company: ARKEMA former Elf Atochem S. A. Report date: 1999-08-20.

Mattson F. H. (1972). Hydrolysis of fully esterified alcohols containing from one to eight hydroxyl groups by the lipolytic enzymes of rat pancreatic juice. *Journal of Lipid Research* Volume 13, 1972.

Matsui, S. et al., Experience of 16 years' operation and maintenance of the Fukushima industrial wastewater treatment plant of the Kashima petrochemical complex - II. Biodegradability of 37 organic substances and 28 process wastewaters, *Water Science and Technology* 20(10): 201-210 (1988).

Murray T. K., Campbell J. A., Hopkins C. Y., Chisholm M. J. (1958). The effect of mono-enoic fatty acid esters on the growth and fecal lipides of rats. *Journal of the American Oil Chemists' Society*, 35, 156-158.

Noel, B., Thomson, W., Study report Assessment of the aquatic-phase toxicity of HA-1321 to the marine fish *Cyprinodon variegatus*, Final report, Report 817b-22, Opus Plus Limited Flotta, STROMNESS Orkney, KW16 3NP on behalf of Cognis Deutschland GmbH Co KG/Emery Oleochemicals GmbH (2006)

Potts, A.M. et al., The visual toxicity of methanol, VI. The clinical aspects of experimental methanol poisoning treated with base, *Amer J Ophthalmol* 39: 86-92 (cited in DGMK 1982) (1955).

Potts, A.M. et al., Studies on the visual toxicity of methanol, VIII. Additional observations on methanol poisoning in the primate test object, *Amer J Ophthalmol* 40: 76-83 (cited in DGMK 1982) (1955).

Price, K.S. et al., Brine shrimp bioassay and seawater BOD of petrochemicals., *Journal Water Pollution Control Federation* 46(1): 63-77. (1974).

Reiff, B., The environmental toxicity of methanol: A preliminary study on its effects in an aquatic environment, Group Research Report TLGR.0035.76, Date: August 1976

Renner H. W. (1986). The anticlastogenic potential of fatty acid methyl esters. *Mutation Research/Genetic Toxicology* Volume 172, Issue 3, December 1986, Pages 265-269.

Richerich, K., Mühlberg, B., Study report Fatty acids, C16-C18 and C18-unsat., Fish, Acute Toxicity, Report R-0100707, Henkel KGaA, Department of Ecology (2001)

Rossini, G.D.B. and Ronco, A.E., Acute Toxicity Bioassay Using *Daphnia obtusa* as a Test Organism, *Environmental Toxicology and Water Quality: An International Journal* (11): 255-258 (1996).

Stolz, JF, Follis, P, Donofrio, R, Buzzelli, J, Griffin, M (1995). Aerobic and Anaerobic Biodegradation of the Methyl Esterified Fatty Acids of Soy Diesel in Freshwater and Soil Environments. www.biodiesel.org/resources/reportsdatabase/viewall.asp. Testing laboratory: Duquesne University, Pittsburg.

Stratton, G.W., Toxic Effects of Organic Solvents on the Growth of Blue-Green Algae, *Bulletin of Environmental Contamination and Toxicology* 38: 1012-1019 (1987).

Stratton, G.W. and Smith, T.M., Interaction of organic solvents with the green alga *Chlorella pyrenoidosa*, *Bulletin of Environmental Contamination and Toxicology* 40(5): 736-742 (1988).

Swern D et al (1970). Investigation of Fatty Acids and Derivatives for Carcinogenic Activity. *CANCER RESEARCH* 30, 1037-1046, April 1970.

Thiebaud H (1997). Esterol A Toxicité aiguë vis à vis des daphnies. Testing laboratory: DCRD Centre d'Application de Levallois, Service Analyse Environnement. Report no.: 97-SAEK/1356/CKE. Owner company: Arkema formerly ELF ATOCHEM S. A. Study number: 3714/94/A. Report date: 1997-11-06.

Mixed Fatty Acid (derived from Biodiesel production)

Assigned to 'Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) and Fatty acids, C16-C18 (even numbered) and C18 (unsaturated) methyl esters'

Thiébaud H (1995). Esterol A, détermination de la biodégradabilité facile, essai de dégagement de CO₂. Testing laboratory: DCRD, Centre d'application de Levallois, Service Analyse Environnement. Report no.: 3714/94/B. Owner company: Arkema formerly ELF ATOCHEM S. A. Report date: 1995-04-21.

Van Divoet (1999). Etude toxicologique. Testing laboratory: BFB research. Owner company: BFB research. Study number: do data. Report date: 2000-07-21.

Wagner, R., Untersuchungen über das Abbauverhalten organischer Stoffe mit Hilfe der respirometrischen Verdünnungsmethode. II. Die Abbaukinetik der Testsubstanzen, Vom Wasser 47: 241-265 (1976).

Werner, Study report Edenor Ti 05 Geschlossener Flaschentest/EG-RILI, Report R 9600073, HENKEL KGaA, TTB-Ökologie (1996).

Wertz, W, Downing D. T. (1990). Metabolism of topically applied fatty acid methyl esters in BALB/C mouse epidermis. Journal of dermatological science, 1 (1990) 33-38 - Elsevier.

Zhang X., Peterson C. L., Reece D., Möller G., Haws R. (1998). Biodegradability of Biodiesel in the Aquatic Environment. Testing laboratory: Analytical Science Lab, Food Science and Toxicology. Owner company: University of Idaho, USA.

Haddouk H. (1999). Bacterial reverse mutation test. Testing laboratory: CIT. Report no.: 18051 MMO Owner company: ARKEMA former ATOCHEM Report date: 1999-07-27.

Thiébaud H (1995). Esterol A, détermination de la biodégradabilité facile, essai de dégagement de CO₂. Testing laboratory: DCRD, Centre d'application de Levallois, Service Analyse Environnement. Report no.: 3714/94/B. Owner company: Arkema formerly ELF ATOCHEM S. A. Report date: 1995-04-21.

Van Divoet (1999). Etude toxicologique. Testing laboratory: BFB research. Owner company: BFB research. Study number: do data. Report date: 2000-07-21.

Wertz, W, Downing D. T. (1990). Metabolism of topically applied fatty acid methyl esters in BALB/C mouse epidermis. Journal of dermatological science, 1 (1990) 33-38 - Elsevier.

Zhang X., Peterson C. L., Reece D., Möller G., Haws R. (1998). Biodegradability of Biodiesel in the Aquatic Environment. Testing laboratory: Analytical Science Lab, Food Science and Toxicology. Owner company: University of Idaho, USA.